

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM

LISTING SERVICE

LISTING No. 4175-1484:100 Page 1 of 1

CATEGORY: Roof Covering (Miscellaneous)

LISTEE: Ace Coating Company, *8333 Case St., La Mesa, CA 91942
Contact: Benjamin Heilbrunn *(800) 672-7100 Fax (619) 697-2472

DESIGN: "ALPHA 8 WEATHER BARRIER" elastomeric roof coating. Refer to listee's data sheets for additional detailed product description and operational considerations.

CLASS A

1. Fluid applied coating systems

Deck: NC Incline: 1"

Surfacing: "Alpha 8 Weather Barrier" applied at 2 or more coats, for a total of 2 to 4 gal/100 ft².

INSTALLATION: In accordance with listee's printed installation instructions, applicable codes & ordinances and in a manner acceptable to the authority having jurisdiction.

MARKING: Listee's name, product identification and UL label.

APPROVAL: Listed as Class A roof covering assemblies as described under "Design".

XLF: 4175-1313:100

*Rev. 06-18-2003



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued: **JUNE 22, 2004**

*Listing Expires **June 30, 2005***

Authorized By: **DIANE K. AREND, Senior Deputy
Program Manager**